



# CALIFORNIA STATE UNIVERSITY, FULLERTON

Division of Administration & Finance

Capital Programs & Facilities Management, Environmental Health & Safety

P.O. Box 6806, Fullerton, CA 92834-6806 / T 657-278-7233 / safety@fullerton.edu / ehs.fullerton.edu

## RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Juice-It-Up! - Humanities Plaza		OPERATOR Connie So		Permit No. 19-17
FACILITY LOCATION 800 N. State College Blvd., Humanities Lawn, Fullerton, CA 92831				INSPECTOR Justine Baldacci
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Connie So, 7/20/2020		PERSON IN CHARGE / TITLE Jacobe Simonhanks / Supervisor		
INSPECTION DATE 10/17/2019	INSPECTION TYPE Routine	RE-INSPECTION Date 02/17/2020	INSPECTION RESULTS Pass	

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

### Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS
<b>EMPLOYEE KNOWLEDGE</b>						
•					1. Demonstration of knowledge, food safety certification	
<b>EMPLOYEE HEALTH AND HYGENIC PRACTICES</b>						
•					2. Communicable diseases: reporting, restrictions, and exclusions	
•					3. No discharge from eyes, nose, or mouth	
•					4. Proper eating, tasting, drinking or tobacco use	
<b>CONTAMINATION BY HANDS</b>						
•					5. Hands clean and properly washed, gloves used properly	
		•			6. Adequate hand washing facilities supplied and accessible.	
<b>TIME AND TEMPERATURE RELATIONSHIPS</b>						
		•			7A. Proper hot holding temperatures.	
•					7B. Proper cold holding temperatures.	
		•			8. Times as a public health control; procedures and records	
		•			9. Proper cooling methods	
		•			10. Proper Cooking time and temperature	
		•			11. Proper reheating procedures for hot holding	
<b>PROTECTION FROM CONTAMINATION</b>						
•					12. Return and re-service of food	
•					13. Food in good condition, safe, and unadulterated	
<b>PROTECTION FROM CONTAMINATION</b>						
<b>PROTECTION FROM CONTAMINATION</b>						
•					14. Food contact surfaces clean and sanitized	
			•		14A. Sanitizer type is Chlorine	
•					14B. Sanitizer type is Quaternary Ammonium	
			•		14C. Sanitizer type is Iodine	
			•		14D. Sanitizer type is Hot Water	
<b>FOOD FROM APPROVED SOURCES</b>						
•					15. Food Obtained from approved source	
			•		16. Compliance with shell stock tags, condition, display	
			•		17. Compliance with Gulf Oyster Regulations	
<b>CONFORMANCE WITH APPROVED PROCEDURES</b>						
			•		18. Compliance with variance, specialized process and HACCP plan	
<b>CONSUMER ADVISORY</b>						
			•		19. Consumer advisory provided for raw or undercooked foods	
			•		20. Licensed health care facilities/public and private schools: prohibited foods not offered	
<b>WATER/HOT WATER</b>						
•					21. Hot and cold water available	
•					22. Sewage and wastewater properly disposed	
<b>VERMIN</b>						
•					23. No rodents, insects, birds, or animals	

FACILITY NAME <b>Juice-It-Up! - Humanities Plaza</b>	DATE <b>10/17/2019</b>	Permit No. <b>19-17</b>
FACILITY LOCATION <b>800 N. State College Blvd., Humanities Lawn, Fullerton, CA 92831</b>		

**Good Retail Practices**

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
<b>SUPERVISION</b>			<b>EQUIPMENT/UTENSILS/LINENS</b>			<b>PHYSICAL FACILITIES</b>		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing	
<b>GENERAL FOOD SAFETY REQUIREMENTS</b>				35. Equipment/utensils approved, installed, clean, good repair, capacity		<b>PERMANENT FOOD FACILITIES</b>		
	26. Approved thawing methods used, frozen food		•	36. Equipment, utensils, and linens: storage and use		•	45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables			38. Adequate ventilation and lighting, designated areas, use		<b>SIGNS/REQUIREMENTS</b>		
	29. Toxic substances properly identified, stored, used		•	39. Thermometers provided and accurate		•	47. Signs posted, last inspection report available, placard posted	
<b>FOOD STORAGE/DISPLAY/SERVICE</b>				40. Wiping cloths: properly used and stored		<b>COMPLIANCE ENFORCEMENT</b>		
	30. Food storage, food storage containers identified		<b>PHYSICAL FACILITIES</b>				48. Plan review	
	31. Consumer self-service			41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

**Opening Comments**

**6. Adequate hand washing facilities supplied and accessible.**

Handwashing facilities must be provided, maintained with soap and single-use towels or drying device, and remain easily accessible. (113953, 113953.1, 113953.2, 114002.1)

Inspector Comments: Handwashing sink lacked necessary splash guards. Install splashguards with a height of at least six inches, that extend from the back edge to the front edge, the corners of the barrier to be rounded.

**36. Equipment, utensils, and linens: storage and use**

Utensils, equipment, and linens shall be handled and stored so as to be protected from contamination. (114074, 114081, 114119, 114121, 114161 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5)

Inspector Comments: Maintenance supplies observed stored on the floor below the warewashing sink. Remove items or elevate at least six inches above the floor.

**39. Thermometers provided and accurate**

Probe and display thermometers shall be available for use and provided for all equipment required to hold a certain temperature. (114157, 114159)

Inspector Comments: The tall cold hold unit lacked a thermometer; install thermometer inside cold hold unit.

**45. Floor, walls, and ceilings: built, maintained, and cleaned**

Food facility shall be fully enclosed. Walls, floors, and ceilings shall be approved and in good repair. (114143(d), 114266, 114268, 114268.1, 114271, 114272)

Inspector Comments: Hole observed in wall above chest freezer in storage area. Repair or cover hole so no gaps remain.

**47. Signs posted, last inspection report available, placard posted**

Required signs and permits shall be posted in prominent locations; the last inspection report shall be maintained on site. (113725.1, 113945.1, 113953.5, 113978, 114075, 114276, 114381(e))

Inspector Comments: Permit was not posted at the time of inspection; post permit in a conspicuous location. Copy of permit to be emailed to operator.

FACILITY NAME	DATE	Permit No.
Juice-It-Up! - Humanities Plaza	10/17/2019	19-17
FACILITY LOCATION		
800 N. State College Blvd., Humanities Lawn, Fullerton, CA 92831		

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at [www.ehs.fullerton.edu](http://www.ehs.fullerton.edu)