



# CALIFORNIA STATE UNIVERSITY, FULLERTON

Division of Administration & Finance

Capital Programs & Facilities Management, Environmental Health & Safety

P.O. Box 6806, Fullerton, CA 92834-6806 / T 657-278-7233 / safety@fullerton.edu / ehs.fullerton.edu

## RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Juice-It-Up! - TSU		OPERATOR Eleanor M Silvas/Silvas JIU Inc.	Permit No. 21-19
FACILITY LOCATION 800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831			INSPECTOR Justine Baldacci
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Ellie Silvas to complete		PERSON IN CHARGE / TITLE Marlo Lopez / Staff	
INSPECTION DATE 04/04/2022	INSPECTION TYPE Routine	RE-INSPECTION Date 08/04/2022	INSPECTION RESULTS Pass

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

### Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS
<b>EMPLOYEE KNOWLEDGE</b>						
		•			1. Demonstration of knowledge, food safety certification	
<b>EMPLOYEE HEALTH AND HYGENIC PRACTICES</b>						
•					2. Communicable diseases: reporting, restrictions, and exclusions	
•					3. No discharge from eyes, nose, or mouth	
•					4. Proper eating, tasting, drinking or tobacco use	
<b>CONTAMINATION BY HANDS</b>						
•					5. Hands clean and properly washed, gloves used properly	
		•			6. Adequate hand washing facilities supplied and accessible.	•
<b>TIME AND TEMPERATURE RELATIONSHIPS</b>						
		•			7A. Proper hot holding temperatures.	
		•			7B. Proper cold holding temperatures.	
		•			8. Times as a public health control; procedures and records	
		•			9. Proper cooling methods	
		•			10. Proper Cooking time and temperature	
		•			11. Proper reheating procedures for hot holding	
<b>PROTECTION FROM CONTAMINATION</b>						
•					12. Return and re-service of food	
•					13. Food in good condition, safe, and unadulterated	
<b>PROTECTION FROM CONTAMINATION</b>						
<b>PROTECTION FROM CONTAMINATION</b>						
		•			14. Food contact surfaces clean and sanitized	
			•		14A. Sanitizer type is Chlorine	
		•			14B. Sanitizer type is Quaternary Ammonium	
			•		14C. Sanitizer type is Iodine	
			•		14D. Sanitizer type is Hot Water	
<b>FOOD FROM APPROVED SOURCES</b>						
•					15. Food Obtained from approved source	
			•		16. Compliance with shell stock tags, condition, display	
			•		17. Compliance with Gulf Oyster Regulations	
<b>CONFORMANCE WITH APPROVED PROCEDURES</b>						
			•		18. Compliance with variance, specialized process and HACCP plan	
<b>CONSUMER ADVISORY</b>						
			•		19. Consumer advisory provided for raw or undercooked foods	
			•		20. Licensed health care facilities/public and private schools: prohibited foods not offered	
<b>WATER/HOT WATER</b>						
		•			21. Hot and cold water available	
•					22. Sewage and wastewater properly disposed	
<b>VERMIN</b>						
•					23. No rodents, insects, birds, or animals	

FACILITY NAME <b>Juice-It-Up! - TSU</b>	DATE <b>04/04/2022</b>	Permit No. <b>21-19</b>
FACILITY LOCATION <b>800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831</b>		

**Good Retail Practices**

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
<b>SUPERVISION</b>			<b>EQUIPMENT/UTENSILS/LINENS</b>			<b>PHYSICAL FACILITIES</b>		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing	
<b>GENERAL FOOD SAFETY REQUIREMENTS</b>				35. Equipment/utensils approved, installed, clean, good repair, capacity		<b>PERMANENT FOOD FACILITIES</b>		
	26. Approved thawing methods used, frozen food		•	36. Equipment, utensils, and linens: storage and use	•		45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables			38. Adequate ventilation and lighting, designated areas, use		<b>SIGNS/REQUIREMENTS</b>		
	29. Toxic substances properly identified, stored, used			39. Thermometers provided and accurate			47. Signs posted, last inspection report available, placard posted	
<b>FOOD STORAGE/DISPLAY/SERVICE</b>				40. Wiping cloths: properly used and stored		<b>COMPLIANCE ENFORCEMENT</b>		
•	30. Food storage, food storage containers identified		<b>PHYSICAL FACILITIES</b>				48. Plan review	
	31. Consumer self-service			41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

**Opening Comments**

**1. Demonstration of knowledge, food safety certification**

All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. There shall be a Food Manager Certificate on the premises for the designated employee that has passed an approved and accredited exam. Food facilities that prepare, handle, or serve non-prepackage food shall ensure that all food handlers have an approved food handler card. (113947, 113947.1-113947.5, 113948)

Inspector Comments: Staff unable to produce training records for review during inspection. Each food facility that employs a food handler shall maintain records documenting that each food handler employed by the food facility possesses a valid food handler card, and shall provide those records to the local enforcement officer upon request.

There shall be a Food Manager Certificate on the premise for the designated employee that has passed and approved and accredited exam. Owner previously stated she would complete the training; however onsite staff was unable to provide training certificate.

**6. Adequate hand washing facilities supplied and accessible.**

Handwashing facilities must be provided, maintained with soap and single-use towels or drying device, and remain easily accessible. (113953, 113953.1, 113953.2, 114002.1)

Inspector Comments: Items observed stored in hand washing sink multiple times during inspection; items were relocated during inspection. Discontinue using hand washing sink as storage location. Hand washing sink must be accessible at all times.

**7B. Proper cold holding temperatures.**

Potentially hazardous cold foods shall be held at or below 41°F. (113996, 113998, 114037, 114343(a))

Inspector Comments: Almond milk in cold hold unit below prep counter measured 47F. Adjust or repair unit so potentially hazardous foods are held at 41F or below.

**21. Hot and cold water available**

An approved, pressurized potable supply of cold and/or hot water shall be provided at all times. (113941, 113953(c), 114099.2(b), 114163, 114189, 114192, 114192.1, 114195)

Inspector Comments: Hot water flow at hand washing sink observed to be very low pressure/flow. Repair to provide adequate pressurized hot water at hand washing sink.

**30. Food storage, food storage containers identified**

FACILITY NAME Juice-It-Up! - TSU	DATE 04/04/2022	Permit No. 21-19
FACILITY LOCATION 800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831		

Food shall be stored in an approved manner. (114047, 114049, 114051, 114053, 114055, 114067(h), 114069(b))

Inspector Comments: Shaker-type container of cinnamon observed to be unlabeled near toaster oven. Label all working containers as to their contents.

**36. Equipment, utensils, and linens: storage and use**

Utensils, equipment, and linens shall be handled and stored so as to be protected from contamination. (114074, 114081, 114119, 114121, 114161 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5)

Inspector Comments: Dipper well water not flowing during inspection; water turned on during inspection. During pauses in food preparation or dispensing, food preparation and dispensing utensils shall be stored in running water of sufficient velocity to flush particles to the drain.

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at [www.ehs.fullerton.edu](http://www.ehs.fullerton.edu)