



CALIFORNIA STATE UNIVERSITY, FULLERTON

Division of Administration & Finance

Capital Programs & Facilities Management, Environmental Health & Safety

P.O. Box 6806, Fullerton, CA 92834-6806 / T 657-278-7233 / safety@fullerton.edu / ehs.fullerton.edu

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Gastronome - Main Kitchen		OPERATOR Compass Group USA		Permit No. 22-14
FACILITY LOCATION 800 N. State College Blvd., Student Housing, Fullerton, CA 92831				INSPECTOR Justine Baldacci
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Christopher Nielsen, 9/28/2025		PERSON IN CHARGE / TITLE Christopher Nielsen / Executive Chef		
INSPECTION DATE 11/02/2022	INSPECTION TYPE Reinspection	RE-INSPECTION Date 02/27/2023	INSPECTION RESULTS Pass	

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS
EMPLOYEE KNOWLEDGE						
					• 1. Demonstration of knowledge, food safety certification	
EMPLOYEE HEALTH AND HYGENIC PRACTICES						
					• 2. Communicable diseases: reporting, restrictions, and exclusions	
					• 3. No discharge from eyes, nose, or mouth	
					• 4. Proper eating, tasting, drinking or tobacco use	
CONTAMINATION BY HANDS						
					• 5. Hands clean and properly washed, gloves used properly	
					• 6. Adequate hand washing facilities supplied and accessible.	
TIME AND TEMPERATURE RELATIONSHIPS						
					• 7A. Proper hot holding temperatures.	
					• 7B. Proper cold holding temperatures.	
					• 8. Times as a public health control; procedures and records	
					• 9. Proper cooling methods	
					• 10. Proper Cooking time and temperature	
					• 11. Proper reheating procedures for hot holding	
PROTECTION FROM CONTAMINATION						
					• 12. Return and re-service of food	
					• 13. Food in good condition, safe, and unadulterated	
PROTECTION FROM CONTAMINATION						
					• 14. Food contact surfaces clean and sanitized	
					• 14A. Sanitizer type is Chlorine	
					• 14B. Sanitizer type is Quaternary Ammonium	
					• 14C. Sanitizer type is Iodine	
					• 14D. Sanitizer type is Hot Water	
FOOD FROM APPROVED SOURCES						
					• 15. Food Obtained from approved source	
					• 16. Compliance with shell stock tags, condition, display	
					• 17. Compliance with Gulf Oyster Regulations	
CONFORMANCE WITH APPROVED PROCEDURES						
					• 18. Compliance with variance, specialized process and HACCP plan	
CONSUMER ADVISORY						
					• 19. Consumer advisory provided for raw or undercooked foods	
					• 20. Licensed health care facilities/public and private schools: prohibited foods not offered	
WATER/HOT WATER						
					• 21. Hot and cold water available	
					• 22. Sewage and wastewater properly disposed	
VERMIN						
					• 23. No rodents, insects, birds, or animals	

FACILITY NAME	DATE	Permit No.
Gastronome - Main Kitchen	11/02/2022	22-14
FACILITY LOCATION		
800 N. State College Blvd., Student Housing, Fullerton, CA 92831		

Good Retail Practices

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
SUPERVISION			EQUIPMENT/UTENSILS/LINENS			PHYSICAL FACILITIES		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing	
GENERAL FOOD SAFETY REQUIREMENTS				• 35. Equipment/utensils approved, installed, clean, good repair, capacity		PERMANENT FOOD FACILITIES		
	26. Approved thawing methods used, frozen food			36. Equipment, utensils, and linens: storage and use			45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables			38. Adequate ventilation and lighting, designated areas, use		SIGNS/REQUIREMENTS		
	29. Toxic substances properly identified, stored, used			39. Thermometers provided and accurate			47. Signs posted, last inspection report available, placard posted	
FOOD STORAGE/DISPLAY/SERVICE				40. Wiping cloths: properly used and stored		COMPLIANCE ENFORCEMENT		
	• 30. Food storage, food storage containers identified		PHYSICAL FACILITIES				48. Plan review	
	31. Consumer self-service			41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

Opening Comments

This inspection served as a re-inspection to verify violations identified during the 10/27/2022 inspection were corrected.

Food handler training records were reviewed for select employees working at the time of the inspection. PIC stated all employees are required to have submitted training certification prior to working. Employees will be sent home to complete training if they have not already done so.

PIC reported mechanical warewashing machine continues to achieve maximum surface temperatures below 160F. Service has been requested. Employees are manually sanitizing equipment using chemical sanitizers. Disposable plates and cold beverage cups are being used temporarily until unit is repaired.

6. Adequate hand washing facilities supplied and accessible.

Handwashing facilities must be provided, maintained with soap and single-use towels or drying device, and remain easily accessible. (113953, 113953.1, 113953.2, 114002.1)

Inspector Comments: PIC reported paper towel dispenser in women's restroom is broken and a new unit has been requested. Replace broken dispenser and supply single-use towels in dispenser at hand washing sink.

30. Food storage, food storage containers identified

Food shall be stored in an approved manner. (114047, 114049, 114051, 114053, 114055, 114067(h), 114069(b))

Inspector Comments: Cleaning chemicals improperly stored next to Convotherm on food storage containers. PIC stated equipment is to be replaced with model that does not require cleaning chemicals.

35. Equipment/utensils approved, installed, clean, good repair, capacity

All utensils and equipment shall be approved, fully operative, and in good repair. (114130, 114130.1, 114130.2, 114130.3, 114130.5, 114130.6, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182)

Inspector Comments: Thermoblast unit not operational. Repair equipment.

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at www.ehs.fullerton.edu