



CALIFORNIA STATE UNIVERSITY, FULLERTON

Division of Administration & Finance

Capital Programs & Facilities Management, Environmental Health & Safety

P.O. Box 6806, Fullerton, CA 92834-6806 / T 657-278-7233 / safety@fullerton.edu / ehs.fullerton.edu

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Starbucks - Library		OPERATOR CSU Fullerton Auxiliary Services		Permit No. 22-23
FACILITY LOCATION 800 N. State College Blvd., Library Lobby, Fullerton, CA 92831				INSPECTOR Justine Baldacci
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Michael Kontogiannis, 3/2/2026		PERSON IN CHARGE / TITLE Michael Kontogiannis / Manager		
INSPECTION DATE 04/26/2023	INSPECTION TYPE Routine	RE-INSPECTION Date 08/26/2023	INSPECTION RESULTS Pass	

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS
EMPLOYEE KNOWLEDGE						
		•			1. Demonstration of knowledge, food safety certification	
EMPLOYEE HEALTH AND HYGENIC PRACTICES						
•					2. Communicable diseases: reporting, restrictions, and exclusions	
•					3. No discharge from eyes, nose, or mouth	
•					4. Proper eating, tasting, drinking or tobacco use	
CONTAMINATION BY HANDS						
•					5. Hands clean and properly washed, gloves used properly	
•					6. Adequate hand washing facilities supplied and accessible.	
TIME AND TEMPERATURE RELATIONSHIPS						
		•			7A. Proper hot holding temperatures.	
•					7B. Proper cold holding temperatures.	
		•			8. Times as a public health control; procedures and records	
		•			9. Proper cooling methods	
		•			10. Proper Cooking time and temperature	
		•			11. Proper reheating procedures for hot holding	
PROTECTION FROM CONTAMINATION						
•					12. Return and re-service of food	
•					13. Food in good condition, safe, and unadulterated	
PROTECTION FROM CONTAMINATION						
•					14. Food contact surfaces clean and sanitized	
			•		14A. Sanitizer type is Chlorine	
•					14B. Sanitizer type is Quaternary Ammonium	
			•		14C. Sanitizer type is Iodine	
			•		14D. Sanitizer type is Hot Water	
FOOD FROM APPROVED SOURCES						
•					15. Food Obtained from approved source	
			•		16. Compliance with shell stock tags, condition, display	
			•		17. Compliance with Gulf Oyster Regulations	
CONFORMANCE WITH APPROVED PROCEDURES						
			•		18. Compliance with variance, specialized process and HACCP plan	
CONSUMER ADVISORY						
			•		19. Consumer advisory provided for raw or undercooked foods	
			•		20. Licensed health care facilities/public and private schools: prohibited foods not offered	
WATER/HOT WATER						
•					21. Hot and cold water available	
•					22. Sewage and wastewater properly disposed	
VERMIN						
•					23. No rodents, insects, birds, or animals	

FACILITY NAME	DATE	Permit No.
Starbucks - Library	04/26/2023	22-23
FACILITY LOCATION		
800 N. State College Blvd., Library Lobby, Fullerton, CA 92831		

Good Retail Practices

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
SUPERVISION			EQUIPMENT/UTENSILS/LINENS			PHYSICAL FACILITIES		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing	
GENERAL FOOD SAFETY REQUIREMENTS				35. Equipment/utensils approved, installed, clean, good repair, capacity		PERMANENT FOOD FACILITIES		
	26. Approved thawing methods used, frozen food		•	36. Equipment, utensils, and linens: storage and use		•	45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables			38. Adequate ventilation and lighting, designated areas, use		SIGNS/REQUIREMENTS		
	29. Toxic substances properly identified, stored, used		•	39. Thermometers provided and accurate	•		47. Signs posted, last inspection report available, placard posted	
FOOD STORAGE/DISPLAY/SERVICE				40. Wiping cloths: properly used and stored		COMPLIANCE ENFORCEMENT		
	30. Food storage, food storage containers identified		PHYSICAL FACILITIES				48. Plan review	
	31. Consumer self-service			41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

Opening Comments

Mechanical warewashing machine was non-functional at the time of inspection. PIC stated service has been requested.

1. Demonstration of knowledge, food safety certification

All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. There shall be a Food Manager Certificate on the premises for the designated employee that has passed an approved and accredited exam. Food facilities that prepare, handle, or serve non-prepackage food shall ensure that all food handlers have an approved food handler card. (113947, 113947.1-113947.5, 113948)

Inspector Comments: Food manager certificate and food handler certificates were not available for review during the inspection. Ensure food safety training records are maintained onsite and available for review during inspection.

36. Equipment, utensils, and linens: storage and use

Utensils, equipment, and linens shall be handled and stored so as to be protected from contamination. (114074, 114081, 114119, 114121, 114161 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5)

Inspector Comments: Reduce storage on upper shelves and maintain at least 18 inches of clear space below the ceiling for fire safety.

39. Thermometers provided and accurate

Probe and display thermometers shall be available for use and provided for all equipment required to hold a certain temperature. (114157, 114159)

Inspector Comments: Thermometers missing from two refrigeration units in rear storage area. Thermometers replaced during inspection. A readily visible thermometer shall be provided in the warmest part of each refrigeration unit.

45. Floor, walls, and ceilings: built, maintained, and cleaned

Food facility shall be fully enclosed. Walls, floors, and ceilings shall be approved and in good repair. (114143(d), 114266, 114268, 114268.1, 114271, 114272)

Inspector Comments: Missing ceiling tile observed in rear storage room above warewashing sink. Replace missing ceiling tile.

Detached ceiling piece observed near hot water heater. Repair or replace ceiling piece.

FACILITY NAME	DATE	Permit No.
Starbucks - Library	04/26/2023	22-23
FACILITY LOCATION		
800 N. State College Blvd., Library Lobby, Fullerton, CA 92831		

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at www.ehs.fullerton.edu