

Phone: 657-278-7233 | Email: safety@fullerton.edu | Website: ehs.fullerton.edu

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME		OPERATOR	Permit No.			
Alaba lava		0 . 0	04.00			
Aloha Java		Connie So	24-02			
FACILITY LOCATION			INSPECTOR			
TAGILITY EGGATION			INOT ECT ON			
			1,4			
1800 N. State College Blvd., (GH Plaza, Fullerton, CA 92831		Karen Vu			
FOOD MANAGER / CERTIFICATE EXPIRATION DATE	· · · · · · · · · · · · · · · · · · ·	PERSON IN CHARGE / TITLE	1 1011 011 1 0			
FOOD MANAGER / CERTIFICATE EXPIRATION DATE		PERSON IN CHARGE / IIILE				
Connie So, 7/18/2026		Connie So				
•						
INSPECTION DATE	INSPECTION TYPE	RE-INSPECTION Date	INSPECTION RESULTS			
			1			
05/07/2025	Routine		Pass			
100/01/2020	11/041116		1F 033			

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	cos	IN	MAJ	MIN	N/A	N/O	Violation COS
	EMPLOYEE KNOWLEDGE			PROTECTION FROM CONTAMINATION								
X					Demonstration of knowledge, food safety certification		Χ					14. Food contact surfaces clean and sanitized
		EM	IPLO	YEE	HEALTH AND HYGENIC PRACTICES					Х		14A. Sanitizer type is Chlorine
X					Communicable diseases: reporting, restrictions, and exclusions		Χ					14B. Sanitizer type is Quaternary Ammonium
X					No discharge from eyes, nose, or mouth					Х		14C. Sanitizer type is lodine
X					4. Proper eating,tasting, drinking or tobacco use					Х		14D. Sanitizer type is Hot Water
				С	ONTAMINATION BY HANDS	•				F	00[FROM APPROVED SOURCES
X					5. Hands clean and properly washed, gloves used properly		X					15. Food Obtained from approved source
X					Adequate hand washing facilities supplied and					Х		16. Compliance with shell stock tags, condition, display
	TIME AND TEMPERATURE RELATIONSHIPS		1				Χ		17. Compliance with Gulf Oyster Regulations			
X			IIVIE	AINL	7A. Proper hot holding temperatures.		CONFORMANCE WITH APPROVED PROCEDURES					
X					7B. Proper cold holding temperatures.					Х		18. Compliance with variance, specialized process and HACCP plan
X					Times as a public health control; procedures and records		CONSUMER ADVISORY					
X					Proper cooling methods					Х		Consumer advisory provided for raw or undercooked foods
X					10. Proper Cooking time and temperature					Х		20. Licensed health care facilities/public and private schools: prohibited foods not offered
X					11. Proper reheating procedures for hot holding		WATER/HOT WATER					
	PROTECTION FROM CONTAMINATION					Х			21. Hot and cold water available			
X					12. Return and re-service of food		Χ					22. Sewage and wastewater properly disposed
X					13. Food in good condition, safe, and unadulterated		VERMIN					
					333		Χ					23. No rodents, insects, birds, or animals

FACILITY NAME	DATE	Permit No.	
Aloha Java	05/07/2025	24-02	
FACILITY LOCATION	·	·	
800 N. State College Blvd. GH Plaza Fullerton	n CA 92831		

Good Retail Practices

OUT	Violation	cos	OUT	JT Violation C			Violation	cos	
	SUPERVISION	·		EQUIPMENT/UTENSILS/LINENS	•		PHYSICAL FACILITIES		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned		
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing		
GE	NERAL FOOD SAFETY REQUIREMEN	ITS	Χ	35. Equipment/utensils approved, installed,			PERMANENT FOOD FACILITIES		
	26. Approved thawing methods used, frozen food		36. Equipment, utensils, and linens: storage				45. Floor, walls, and ceilings: built, maintained, and cleaned		
Х	27. Food separated and protected 28. Washing fruits and vegetables 29. Toxic substances properly identified, stored, used FOOD STORAGE/DISPLAY/SERVICE 30. Food storage, food storage containers			and use 37. Vending Machines		46. No unapproved private homes/living or sleeping quarters			
				38. Adequate ventilation and lighting,		SIGNS/REQUIREMENTS			
			designated areas, use 39. Thermometers provided and accurate				47. Signs posted, last inspection report available, placard posted		
			SPLAY/SERVICE V 40. Wiping cloths: properly used and stored				COMPLIANCE ENFORCEMENT	_	
							48. Plan review		
	identified			PHYSICAL FACILITIES			49. Permits available		
	31. Consumer self-service			41. Plumbing: proper backflow devices					
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment 51. Permit Suspension		

Opening Comments

A routine inspection was conducted this date for Aloha Java.

This facility is currently working with the campus to submit plans to make the necessary upgrades to meet minimum food safety requirements. An inspection report in regards to the upgrades were written in a previous inspection report for reference.

NOTE

- There are several residential equipment and unapproved equipment in the facility. Upon renovations, the facility shall upgrade the equipment. EH&S will review the submittals and discuss the upgrades with the operator.

21. Hot and cold water available

An approved, pressurized potable supply of cold and/or hot water shall be provided at all times. (113941, 113953(c), 114099.2(b), 114163, 114199, 114192.1, 114195)

Inspector Comments: The maximum water temperature measured at the 3-compartment sink was at 108F. Raise and maintain the hot water temperature at a minimum of 120F.

27. Food separated and protected

All food shall be separated and protected from contamination. (113980, 113984, 113986, 114060, 114067, 114077, 114073, 114143) Inspector Comments: 1. Observed a scoop with the handle touching the matcha powder. Ensure that the scoop is stored in an upright position to prevent possible food contamination.

Observed trays of pastries on the rack without a cover/lid. Provide a cover/lid over the trays of pastries.

35. Equipment/utensils approved, installed, clean, good repair, capacity

All utensils and equipment shall be approved, fully operative, and in good repair. (114130, 114130.1, 114130.2, 114130.3, 114130.5, 114130.6, 114132, 114133, 114137, 114139, 114153, 114155, 114165, 114165, 114167, 114169, 114175, 114177, 114180, 114182)

Inspector Comments: Observed dust and debris on the crevices of the ice machine and on the lid of the ice machine. Clean and maintain the ice machine in clean and in good condition.

40. Wiping cloths: properly used and stored



FACILITY NAME	DATE	Permit No.	
Aloha Java	05/07/2025	24-02	
FACILITY LOCATION	·	·	
800 N State College Blvd GH Plaza Fullert	on CA 92831		

800 N. State College Bivd., GH Plaza, Fullerton, CA 92831

Wiping cloths used to wipe service food-contact surfaces shall be used only once unless kept in clean water with sanitizer. (114135, 114185.1, 114185.3(d-e))

Inspector Comments: Observed wet wiping cloths on the counter throughout the facility. Ensure that all wet wiping cloths are stored in an approved sanitizer bucket when not actively in use.

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at www.ehs.fullerton.edu

