

## RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Pieology		OPERATOR CSU Fullerton Auxiliary Services		Permit No. 25-22
FACILITY LOCATION 800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831				INSPECTOR Karen Vu
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Edwin Valenzuela, 7/9/2026		PERSON IN CHARGE / TITLE Edwin Valenzuela		
INSPECTION DATE 09/15/2025	INSPECTION TYPE Routine	RE-INSPECTION Date	INSPECTION RESULTS Pass	

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

### Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS
<b>EMPLOYEE KNOWLEDGE</b>						
X					1. Demonstration of knowledge, food safety certification	
<b>EMPLOYEE HEALTH AND HYGENIC PRACTICES</b>						
X					2. Communicable diseases: reporting, restrictions, and exclusions	
X					3. No discharge from eyes, nose, or mouth	
X					4. Proper eating, tasting, drinking or tobacco use	
<b>CONTAMINATION BY HANDS</b>						
X					5. Hands clean and properly washed, gloves used properly	
X					6. Adequate hand washing facilities supplied and accessible.	
<b>TIME AND TEMPERATURE RELATIONSHIPS</b>						
X					7A. Proper hot holding temperatures.	
X					7B. Proper cold holding temperatures.	
			X		8. Times as a public health control; procedures and records	
X					9. Proper cooling methods	
X					10. Proper Cooking time and temperature	
X					11. Proper reheating procedures for hot holding	
<b>PROTECTION FROM CONTAMINATION</b>						
X					12. Return and re-service of food	
X					13. Food in good condition, safe, and unadulterated	
<b>PROTECTION FROM CONTAMINATION</b>						
X					14. Food contact surfaces clean and sanitized	
			X		14A. Sanitizer type is Chlorine	
X					14B. Sanitizer type is Quaternary Ammonium	
			X		14C. Sanitizer type is Iodine	
			X		14D. Sanitizer type is Hot Water	
<b>FOOD FROM APPROVED SOURCES</b>						
X					15. Food Obtained from approved source	
			X		16. Compliance with shell stock tags, condition, display	
			X		17. Compliance with Gulf Oyster Regulations	
<b>CONFORMANCE WITH APPROVED PROCEDURES</b>						
			X		18. Compliance with variance, specialized process and HACCP plan	
<b>CONSUMER ADVISORY</b>						
			X		19. Consumer advisory provided for raw or undercooked foods	
			X		20. Licensed health care facilities/public and private schools: prohibited foods not offered	
<b>WATER/HOT WATER</b>						
X					21. Hot and cold water available	
X					22. Sewage and wastewater properly disposed	
<b>VERMIN</b>						
X					23. No rodents, insects, birds, or animals	

FACILITY NAME	DATE	Permit No.
Pieology	09/15/2025	25-22
FACILITY LOCATION		
800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831		

### Good Retail Practices

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
<b>SUPERVISION</b>			<b>EQUIPMENT/UTENSILS/LINENS</b>			<b>PHYSICAL FACILITIES</b>		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing	
<b>GENERAL FOOD SAFETY REQUIREMENTS</b>			X	35. Equipment/utensils approved, installed, clean, good repair, capacity		<b>PERMANENT FOOD FACILITIES</b>		
	26. Approved thawing methods used, frozen food			36. Equipment, utensils, and linens: storage and use		X	45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables			38. Adequate ventilation and lighting, designated areas, use		<b>SIGNS/REQUIREMENTS</b>		
	29. Toxic substances properly identified, stored, used			39. Thermometers provided and accurate			47. Signs posted, last inspection report available, placard posted	
<b>FOOD STORAGE/DISPLAY/SERVICE</b>				40. Wiping cloths: properly used and stored		<b>COMPLIANCE ENFORCEMENT</b>		
	30. Food storage, food storage containers identified		<b>PHYSICAL FACILITIES</b>				48. Plan review	
	31. Consumer self-service		X	41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

### Opening Comments

A routine inspection was conducted this date for Pieology in the TSU.

#### 35. Equipment/utensils approved, installed, clean, good repair, capacity

All utensils and equipment shall be approved, fully operative, and in good repair. (114130, 114130.1, 114130.2, 114130.3, 114130.5, 114130.6, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182)

Inspector Comments: a. Observed torn gaskets at the 2 door refrigerator near the pizza dough area.  
Replace torn gaskets.

b. Observed soiled gaskets at all the undercounter refrigerators in the front service line.  
Clean and maintain the gaskets in clean and in good condition at all times.

#### 41. Plumbing: proper backflow devices

All plumbing, plumbing fixtures and grease interceptors shall be installed in compliance with local plumbing ordinances. (114171, 114183.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269)

Inspector Comments: Observed a leak on the drainage pipe under the hand sink in the front service area.  
Repair the leak as needed.

#### 45. Floor, walls, and ceilings: built, maintained, and cleaned

Food facility shall be fully enclosed. Walls, floors, and ceilings shall be approved and in good repair. (114143(d), 114266, 114268, 114268.1, 114271, 114272)

Inspector Comments: Observed dust on the air vent above the 2 door refrigerator near the pizza dough area.  
Clean and maintain the air vent in clean and in good condition at all times.

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at [www.ehs.fullerton.edu](http://www.ehs.fullerton.edu)