

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Juice-It-Up! - TSU		OPERATOR SL Phuong LLC		Permit No. 25-18
FACILITY LOCATION 800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831				INSPECTOR Karen Vu
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Connie So, 7/18/2026		PERSON IN CHARGE / TITLE Shannon Phuong		
INSPECTION DATE 02/10/2026	INSPECTION TYPE Routine	RE-INSPECTION Date	INSPECTION RESULTS Pass	

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS	IN	MAJ	MIN	N/A	N/O	Violation	COS
EMPLOYEE KNOWLEDGE							PROTECTION FROM CONTAMINATION						
X					1. Demonstration of knowledge, food safety certification		X					14. Food contact surfaces clean and sanitized	
EMPLOYEE HEALTH AND HYGENIC PRACTICES										X		14A. Sanitizer type is Chlorine	
X					2. Communicable diseases: reporting, restrictions, and exclusions		X					14B. Sanitizer type is Quaternary Ammonium	
X					3. No discharge from eyes, nose, or mouth					X		14C. Sanitizer type is Iodine	
X					4. Proper eating, tasting, drinking or tobacco use					X		14D. Sanitizer type is Hot Water	
CONTAMINATION BY HANDS							FOOD FROM APPROVED SOURCES						
X					5. Hands clean and properly washed, gloves used properly		X					15. Food Obtained from approved source	
X					6. Adequate hand washing facilities supplied and accessible.					X		16. Compliance with shell stock tags, condition, display	
TIME AND TEMPERATURE RELATIONSHIPS										X		17. Compliance with Gulf Oyster Regulations	
X					7A. Proper hot holding temperatures.		CONFORMANCE WITH APPROVED PROCEDURES						
X					7B. Proper cold holding temperatures.					X		18. Compliance with variance, specialized process and HACCP plan	
X					8. Times as a public health control; procedures and records		CONSUMER ADVISORY						
X					9. Proper cooling methods					X		19. Consumer advisory provided for raw or undercooked foods	
X					10. Proper Cooking time and temperature					X		20. Licensed health care facilities/public and private schools: prohibited foods not offered	
X					11. Proper reheating procedures for hot holding		WATER/HOT WATER						
PROTECTION FROM CONTAMINATION							X					21. Hot and cold water available	
X					12. Return and re-service of food		X					22. Sewage and wastewater properly disposed	
X					13. Food in good condition, safe, and unadulterated		VERMIN						
							X					23. No rodents, insects, birds, or animals	

FACILITY NAME	DATE	Permit No.
Juice-It-Up! - TSU	02/10/2026	25-18
FACILITY LOCATION		
800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831		

Good Retail Practices

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
SUPERVISION			EQUIPMENT/UTENSILS/LINENS			PHYSICAL FACILITIES		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing	
GENERAL FOOD SAFETY REQUIREMENTS			X	35. Equipment/utensils approved, installed, clean, good repair, capacity		PERMANENT FOOD FACILITIES		
	26. Approved thawing methods used, frozen food			36. Equipment, utensils, and linens: storage and use		X	45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables		X	38. Adequate ventilation and lighting, designated areas, use		SIGNS/REQUIREMENTS		
	29. Toxic substances properly identified, stored, used			39. Thermometers provided and accurate			47. Signs posted, last inspection report available, placard posted	
FOOD STORAGE/DISPLAY/SERVICE				40. Wiping cloths: properly used and stored		COMPLIANCE ENFORCEMENT		
	30. Food storage, food storage containers identified		PHYSICAL FACILITIES				48. Plan review	
	31. Consumer self-service			41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

Opening Comments

A routine inspection was conducted this date for Juice It Up inside the TSU.

35. Equipment/utensils approved, installed, clean, good repair, capacity

All utensils and equipment shall be approved, fully operative, and in good repair. (114130, 114130.1, 114130.2, 114130.3, 114130.5, 114130.6, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182)

Inspector Comments: 1. Observed calcium deposits and staining on the exterior and interior of the ice machine. Clean and maintain the ice machine in clean and in good condition at all times.

2. Observed cutting marks with brown staining on the cutting board. Replace cutting board.

3. Observed no cover for the ice bin near the chest freezers. Provide a cover for the ice bin.

38. Adequate ventilation and lighting, designated areas, use

Adequate lighting and ventilation shall be provided. Exhaust hoods should be approved and maintained. (114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1)

Inspector Comments: Observed a loose air vent cover (missing screws) in the back kitchen by the door. Screw the loose air vent cover tight to the ceiling.

45. Floor, walls, and ceilings: built, maintained, and cleaned

Food facility shall be fully enclosed. Walls, floors, and ceilings shall be approved and in good repair. (114143(d), 114266, 114268, 114268.1, 114271, 114272)

Inspector Comments: Observed dust accumulation on the ceiling tiles and the air vent grates. Clean and maintain the ceiling tiles and air vent grates in clean and in good condition at all times.

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at www.ehs.fullerton.edu