

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Sequoia Cafe		OPERATOR		Permit No. 26-34
FACILITY LOCATION 1509 E Campus Dr.			INSPECTOR M. Barahona	
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Ashley Pitts		PERSON IN CHARGE / TITLE Kenneth Christian / Director of Dining		
INSPECTION DATE 09/15/2026	INSPECTION TYPE Routine	RE-INSPECTION Date	INSPECTION RESULTS Pass	

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS	IN	MAJ	MIN	N/A	N/O	Violation	COS
EMPLOYEE KNOWLEDGE							PROTECTION FROM CONTAMINATION						
X					1. Demonstration of knowledge, food safety certification		X					14. Food contact surfaces clean and sanitized	
EMPLOYEE HEALTH AND HYGENIC PRACTICES										X		14A. Sanitizer type is Chlorine	
X					2. Communicable diseases: reporting, restrictions, and exclusions		X					14B. Sanitizer type is Quaternary Ammonium	
X					3. No discharge from eyes, nose, or mouth					X		14C. Sanitizer type is Iodine	
X					4. Proper eating, tasting, drinking or tobacco use		X					14D. Sanitizer type is Hot Water	
CONTAMINATION BY HANDS							FOOD FROM APPROVED SOURCES						
X					5. Hands clean and properly washed, gloves used properly		X					15. Food Obtained from approved source	
		X			6. Adequate hand washing facilities supplied and accessible.					X		16. Compliance with shell stock tags, condition, display	
TIME AND TEMPERATURE RELATIONSHIPS										X		17. Compliance with Gulf Oyster Regulations	
X					7A. Proper hot holding temperatures.		CONFORMANCE WITH APPROVED PROCEDURES						
X					7B. Proper cold holding temperatures.					X		18. Compliance with variance, specialized process and HACCP plan	
			X		8. Times as a public health control; procedures and records		CONSUMER ADVISORY						
			X		9. Proper cooling methods					X		19. Consumer advisory provided for raw or undercooked foods	
			X		10. Proper Cooking time and temperature					X		20. Licensed health care facilities/public and private schools: prohibited foods not offered	
			X		11. Proper reheating procedures for hot holding		WATER/HOT WATER						
PROTECTION FROM CONTAMINATION							X					21. Hot and cold water available	
X					12. Return and re-service of food		X					22. Sewage and wastewater properly disposed	
X					13. Food in good condition, safe, and unadulterated		VERMIN						
							X					23. No rodents, insects, birds, or animals	

FACILITY NAME	DATE	Permit No.
Sequoia Cafe	09/15/2026	26-34
FACILITY LOCATION		
1509 E Campus Dr.		

Good Retail Practices

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
SUPERVISION			EQUIPMENT/UTENSILS/LINENS			PHYSICAL FACILITIES		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips		X	44. Premises, personal/cleaning items, vermin proofing	
GENERAL FOOD SAFETY REQUIREMENTS				35. Equipment/utensils approved, installed, clean, good repair, capacity		PERMANENT FOOD FACILITIES		
	26. Approved thawing methods used, frozen food			36. Equipment, utensils, and linens: storage and use			45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables			38. Adequate ventilation and lighting, designated areas, use		SIGNS/REQUIREMENTS		
	29. Toxic substances properly identified, stored, used		X	39. Thermometers provided and accurate			47. Signs posted, last inspection report available, placard posted	
FOOD STORAGE/DISPLAY/SERVICE				40. Wiping cloths: properly used and stored		COMPLIANCE ENFORCEMENT		
	30. Food storage, food storage containers identified		PHYSICAL FACILITIES				48. Plan review	
	31. Consumer self-service		X	41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

Opening Comments

The purpose for this visit is to conduct a routine inspection.

6. Adequate hand washing facilities supplied and accessible.

Handwashing facilities must be provided, maintained with soap and single-use towels or drying device, and remain easily accessible. (113953, 113953.1, 113953.2, 114002.1)

Inspector Comments: 1. No handwashing sign was available at the handwashing station located at the entrance to the coffee bar area. Provide a sign or poster at the handwashing station, that notifies food employees to wash their hands. A handwashing sign or poster must be available at all handwashing lavatories used by food employees and shall be clearly visible to food employees.

2. Observed a box cutter and a roll of trash bags stored behind the faucet of the handwashing station located in the back room. Discontinue storing miscellaneous items at the handwashing station.

39. Thermometers provided and accurate

Probe and display thermometers shall be available for use and provided for all equipment required to hold a certain temperature. (114157, 114159)

Inspector Comments: A probe thermometer was not available during the inspection. Provide an accurate, easily readable, metal probe thermometer for measuring the temperature of food.

41. Plumbing: proper backflow devices

All plumbing, plumbing fixtures and grease interceptors shall be installed in compliance with local plumbing ordinances. (114171, 114183.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269)

Inspector Comments: Provide an air gap between the end of the ice machine drain line and the rim of the floor sink. The air gap must be twice the diameter of the water supply inlet and/or at least 1 inch as required by the California Retail Food Code.

44. Premises, personal/cleaning items, vermin proofing

The premises of the food facility shall be kept clean and vermin-proof; non food items shall be stored and displayed separate from food and food-contact surfaces. (114067(j), 114123, 114143(a, b), 114256, 114256.1, 114256.1, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282)

Inspector Comments: Observed a ceiling tile to be missing in the back room area directly outside of the walk-in cooler. Replace the missing ceiling tile.

FACILITY NAME	DATE	Permit No.
Sequoia Cafe	09/15/2026	26-34
FACILITY LOCATION		
1509 E Campus Dr.		

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at www.ehs.fullerton.edu