



CALIFORNIA STATE UNIVERSITY, FULLERTON

Division of Administration & Finance

Capital Programs & Facilities Management, Environmental Health & Safety

P.O. Box 6806, Fullerton, CA 92834-6806 / T 657-278-7233 / safety@fullerton.edu / ehs.fullerton.edu

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME Pieology		OPERATOR CSU Fullerton Auxilliary	Permit No. 19-22
FACILITY LOCATION 800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831			INSPECTOR Justine Baldacci
FOOD MANAGER / CERTIFICATE EXPIRATION DATE Christina Martinez / 7/27/2021		PERSON IN CHARGE / TITLE Christina Martinez / Manager	
INSPECTION DATE 07/11/2019	INSPECTION TYPE Routine	RE-INSPECTION Date 09/22/2019	INSPECTION RESULTS Pass

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	COS
EMPLOYEE KNOWLEDGE						
					• 1. Demonstration of knowledge, food safety certification	
EMPLOYEE HEALTH AND HYGENIC PRACTICES						
					• 2. Communicable diseases: reporting, restrictions, and exclusions	
					• 3. No discharge from eyes, nose, or mouth	
					• 4. Proper eating, tasting, drinking or tobacco use	
CONTAMINATION BY HANDS						
					• 5. Hands clean and properly washed, gloves used properly	
					• 6. Adequate hand washing facilities supplied and accessible.	
TIME AND TEMPERATURE RELATIONSHIPS						
					• 7A. Proper hot holding temperatures.	
					• 7B. Proper cold holding temperatures.	
					• 8. Times as a public health control; procedures and records	
					• 9. Proper cooling methods	
					• 10. Proper Cooking time and temperature	
					• 11. Proper reheating procedures for hot holding	
PROTECTION FROM CONTAMINATION						
					• 12. Return and re-service of food	
					• 13. Food in good condition, safe, and unadulterated	
PROTECTION FROM CONTAMINATION						
					• 14. Food contact surfaces clean and sanitized	
					• 14A. Sanitizer type is Chlorine	
					• 14B. Sanitizer type is Quaternary Ammonium	
					• 14C. Sanitizer type is Iodine	
					• 14D. Sanitizer type is Hot Water	
FOOD FROM APPROVED SOURCES						
					• 15. Food Obtained from approved source	
					• 16. Compliance with shell stock tags, condition, display	
					• 17. Compliance with Gulf Oyster Regulations	
CONFORMANCE WITH APPROVED PROCEDURES						
					• 18. Compliance with variance, specialized process and HACCP plan	
CONSUMER ADVISORY						
					• 19. Consumer advisory provided for raw or undercooked foods	
					• 20. Licensed health care facilities/public and private schools: prohibited foods not offered	
WATER/HOT WATER						
					• 21. Hot and cold water available	
					• 22. Sewage and wastewater properly disposed	
VERMIN						
					• 23. No rodents, insects, birds, or animals	

FACILITY NAME Pieology	DATE 07/11/2019	Permit No. 19-22
FACILITY LOCATION 800 N. State College Blvd., TSU Food Court, Fullerton, CA 92831		

Good Retail Practices

OUT	Violation	COS	OUT	Violation	COS	OUT	Violation	COS
SUPERVISION			EQUIPMENT/UTENSILS/LINENS			PHYSICAL FACILITIES		
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints			34. Ware washing facilities: installed, maintained, used, test strips			44. Premises, personal/cleaning items, vermin proofing	
GENERAL FOOD SAFETY REQUIREMENTS				35. Equipment/utensils approved, installed, clean, good repair, capacity		PERMANENT FOOD FACILITIES		
	26. Approved thawing methods used, frozen food			36. Equipment, utensils, and linens: storage and use			45. Floor, walls, and ceilings: built, maintained, and cleaned	
	27. Food separated and protected			37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
	28. Washing fruits and vegetables			38. Adequate ventilation and lighting, designated areas, use		SIGNS/REQUIREMENTS		
	29. Toxic substances properly identified, stored, used			39. Thermometers provided and accurate			47. Signs posted, last inspection report available, placard posted	
FOOD STORAGE/DISPLAY/SERVICE				40. Wiping cloths: properly used and stored		COMPLIANCE ENFORCEMENT		
	30. Food storage, food storage containers identified		PHYSICAL FACILITIES				48. Plan review	
	31. Consumer self-service			41. Plumbing: proper backflow devices			49. Permits available	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			50. Impoundment	
							51. Permit Suspension	

Opening Comments

This inspection was conducted prior to opening for limited service during food court dining room floor replacement construction activities.

Pieology plans to open for business on 7/15/2019 with only online order service through Tapingo. Food will be prepared in Pieology's storefront and customers will pick up orders from hallway near the food court kitchen back offices. Hot hold and cold hold units will be temporarily relocated to the hallway area. Plastic sheeting was observed in place separating Pieologys storefront from construction activities. Proposed operations are approved with the following recommendations:

- Inspect plastic sheeting daily and maintain log sheet of daily inspection. Post contact information for appropriate person to notify if plastic sheeting observed to be damaged or not in place. Cease food service operations if plastic sheeting is damaged or not in place.
- Maintain clear pathway in hallway near back offices. Do not obstruct doors or exit pathway.

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at www.ehs.fullerton.edu