

CALIFORNIA STATE UNIVERSITY, FULLERTON

Division of Administration & Finance

Capital Programs & Facilities Management, Environmental Health & Safety P.O. Box 6806, Fullerton, CA 92834-6806 / T 657-278-7233 / safety@fullerton.edu / ehs.fullerton.edu

RETAIL FOOD FACILITY INSPECTION REPORT

FACILITY NAME		OPERATOR	Permit No.		
Gastronome - Pizza/Deli		Compass Group USA	22-15		
FACILITY LOCATION			INSPECTOR		
800 N. State College Blvd., St	92831	Justine Baldacci			
FOOD MANAGER / CERTIFICATE EXPIRATION DATE		PERSON IN CHARGE / TITLE			
Christopher Nielsen, 9/28/202	5	Christopher Nielsen / Executiv	e Chef		
INSPECTION DATE	INSPECTION TYPE	RE-INSPECTION Date	INSPECTION RESULTS		
11/02/2022	Reinspection	02/27/2023	Pass		

Based on an inspection this day, the compliance status (IN, MAJ, MIN, OUT, N/A, N/O, COS) has been identified below. Violations noted as MAJ, MIN or OUT must be corrected. Failure to correct the listed violation(s) prior to the designated compliance date may necessitate a reinspection at an additional fee. See the following page(s) for the applicable code sections and the general requirements that correspond to the violation(s) noted below.

IN = In Compliance N/A = Not Applicable N/O = Not Observed MAJ = Major MIN = Minor OUT = Out of Compliance COS = Corrected on Site

Critical Risk Factors

IN	MAJ	MIN	N/A	N/O	Violation	cos	IN	MAJ	MIN	N/A	N/O	Violation	
	_												
					EMPLOYEE KNOWLEDGE						PRC	TECTION FROM CONTAMINATION	
•					1. Demonstration of knowledge, food safety certification						•	14. Food contact surfaces clean and sanitized	
		E	MPL	OY	EE HEALTH AND HYGENIC PRACTICES					•		14A. Sanitizer type is Chlorine	
				•	2. Communicable diseases: reporting, restrictions, and exclusions		•					14B. Sanitizer type is Quaternary Ammonium	
				٠	3. No discharge from eyes, nose, or mouth					•		14C. Sanitizer type is lodine	
				٠	4. Proper eating,tasting, drinking or tobacco use					•		14D. Sanitizer type is Hot Water	
					CONTAMINATION BY HANDS						FO	OD FROM APPROVED SOURCES	
				•	5. Hands clean and properly washed, gloves used properly						•	15. Food Obtained from approved source	
				•	6. Adequate hand washing facilities supplied and					•		16. Compliance with shell stock tags, condition, display	
										•		17. Compliance with Gulf Oyster Regulations	
					ND TEMPERATURE RELATIONSHIPS 7A. Proper hot holding temperatures.				CC			MANCE WITH APPROVED PROCEDURES	
										•		18. Compliance with variance, specialized process and HACCP plan	
				•									
			•		8. Times as a public health control; procedures and records				 			CONSUMER ADVISORY	
				٠	9. Proper cooling methods					•		19. Consumer advisory provided for raw or undercooked foods	
				•	10. Proper Cooking time and temperature					•		20. Licensed health care facilities/public and private schools: prohibited foods not offered	
			I1. Proper reheating procedures for hot holding				WATER/HOT WATER						
		•	.	PRC	TECTION FROM CONTAMINATION						•	21. Hot and cold water available	
				•	12. Return and re-service of food						•	22. Sewage and wastewater properly disposed	
			13. Food in good condition, safe, and unadulterated					VERMIN					
											•	23. No rodents, insects, birds, or animals	

FACILITY NAME	DATE	Permit No.		
Gastronome - Pizza/Deli	11/02/2022	22-15		
FACILITY LOCATION				

800 N. State College Blvd., Student Housing, Fullerton, CA 92831

				Good Retail Practices				
OUT	Violation	COS	OUT	Violation	cos	OUT	Violation	COS
SUPERVISION			EQUIPMENT/UTENSILS/LINENS				PHYSICAL FACILITIES	
	24. Person in charge present and performs duties			33. Nonfood contact surfaces clean			43. Toilet facilities: properly constructed, supplied, cleaned	
	25. Personal cleanliness and hair restraints	5. Personal cleanliness and hair restraints 34. Ware washing maintained, used,					44. Premises, personal/cleaning items, vermin proofing	
GENERAL FOOD SAFETY REQUIREM		TS	35. Equipment/utensils approved, instal				PERMANENT FOOD FACILITIES	
	26. Approved thawing methods used, frozen food 27. Food separated and protected 28. Washing fruits and vegetables			clean, good repair, capacity 36. Equipment, utensils, and linens: storage and use			45. Floor, walls, and ceilings: built, maintained, and cleaned	
				37. Vending Machines			46. No unapproved private homes/living or sleeping quarters	
			•	38. Adequate ventilation and lighting,			SIGNS/REQUIREMENTS	
	29. Toxic substances properly identified, stored, used			designated areas, use 39. Thermometers provided and accurate			47. Signs posted, last inspection report available, placard posted	
	FOOD STORAGE/DISPLAY/SERVICE						COMPLIANCE ENFORCEMENT	
	30. Food storage, food storage containers identified			40. Wiping cloths: properly used and stored			48. Plan review	
	31. Consumer self-service			PHYSICAL FACILITIES	49. Permits available			
				41. Plumbing: proper backflow devices			50. Impoundment	
	32. Food properly labeled and honestly presented			42. Garbage and refuse properly disposed of, facilities maintained			51. Permit Suspension	

Opening Comments

This inspection served as a re-inspection to verify violations identified during the 10/27/2022 inspection were corrected.

Food handler training records were reviewed for select employees working at the time of the inspection. PIC stated all employees are required to have submitted training certification prior to working. Employees will be sent home to complete training if they have not already done so.

PIC reported mechanical warewashing machine continues to achieve maximum surface temperatures below 160F. Service has been requested. Employees are manually sanitizing equipment using chemical sanitizers. Disposable plates and cold beverage cups are being used temporarily until unit is repaired.

38. Adequate ventilation and lighting, designated areas, use

Adequate lighting and ventilation shall be provided. Exhaust hoods should be approved and maintained. (114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1)

Inspector Comments: PIC reported non-functional light bulbs remain in cold hold units. Repair or replace light bulbs.

It was agreed that a copy of this report will be sent to the email address on file. The person in charge was directed to call this office if the report is not received within two business days. Additional information can be found at www.ehs.fullerton.edu